isolated by recombi [A nucleic acid] The polynucleotide of Claim 9, [wherein said nucleic 10. (Amended) acid] which:

a) encodes a mature polypeptide [sequence] of SEQ ID NO: 2 or 4;

b) comprises [a sequence of] the mature polypeptide coding portion of SEQ ID NO: 1

or 3; [or] \ack of anticedent busis
c) encodes [a sequence from an] the extracellular domain of [a] SEO ID NO: 2 or 4 [natural 312C2]; or

- d) encodes [a sequence from an] the intracellular domain of [a natural 312C2] SEO ID NO: 2 or 4:
- (e) attached to a solid substrate;
- f) is detectable labeled; or
- g) is in a sterile composition].
- 11. (Amended) [An expression or replicating vector] A recombinant expression or replicating vector comprising said polynucleotide of Claim 9.
- A kit comprising: 12. (Amended)
 - [a) a substantially pure 312C2 or fragment of Claim 1;
 - b) an antibody or receptor which specifically binds a 312C2; or
 - c) a nucleic acid encoding a 312C2 or peptide]

 - instructions for use or disposal of reagents in said kit.
- A method of [expressing 312C2] producing a polypeptide, comprising 17. (Amended) vector of Claim 11, thereby producing said expressing [a nucleic acid of Claim 9] said polypeptide.
- A cell [, tissue, organ, or organism] comprising said vector [a nucleic acid] 18. (Amended) of Claim [9] <u>11</u>.
- A recombinant [nucleic acid comprising sequence at least about 70% 19. (Amended) identity over a stretch of at least about 30 nucleotides to a 312C2 nucleic acid sequence of SEQ ID NO: 1 or 3] or isolated polynucleotide of Claim 9, that encodes at least 15 contiguous amino residues of SEO ID NO: 4.
- [A nucleic acid] The polynucleotide of Claim 19, [further encoding a 20. (Amended) polypeptide comprising at least about 60% identity over a stretch of at least about 20 amino acids to a 312C2 sequence of SEQ ID NO: 2 or 4] wherein said contiguous amino residues number at least 17

GORMÀN, et al.; U.S.S.N. 08/911,423

page 2 of 12

NEW CLAIMS:

Please add new Claims 23-43 as follows:

--23. (New) The polynucleotide of Claim 9, wherein said hybridization occurs over the entire open reading frame of SEQ ID NO: 1.

The polynucleotide of Claim 9, wherein said polynucleotide: 24. (New)

- a) encodes a polypeptide with a natural sequence of the mature coding portion of SEQ ID NO: 2;
- b) encodes a polypeptide with a natural sequence of the mature coding portion of SEQ ID NO: 4;
- c) is isolated from nature;
- d) encodes a polypeptide comprising 5 or fewer conservative substitutions from a natural sequence of SEQ ID NO: 2; or
- e) encodes a polypeptide comprising 5 or fewer conservative substitutions from a natural sequence of SEQ ID NO: 4.

The polynucleotide of Claim 9, wherein said wash conditions are 25. (New)

a) at least 65°C;
b) less than 150 mM salt; or ANK George

ANK Geo A method of producing a polynucleotide duplex comprising contacting said polynucleotide of Claim 9 with a second polynucleotide for a time sufficient to produce said duplex under stringent wash conditions of at least 60° C and less than 200 mM salt; thereby

forming said duplex.

-, molated ... The polynucleotide of Claim 9, which is: 27. (New)

- a) is attached to a solid substrate;
- b) is detectably labeled;
- c) is in a sterile composition;
- d) encodes an antigenic polypeptide having at least 12 amino acid residues; or
- e) is synthetically produced.
- The polynucleotide of Claim 19, which comprises at least 57 contiguous 28. (New) nucleotides from the mature protein coding portion of SEQ ID NO: 1 or 3.

isolated or recombonement

29. (New) The polynucleotide of Claim 27, wherein:

- a) said contiguous amino acid residues number at least 21; or
- b) said contiguous nucleotides are from nucleotides 26-165 or nucleotides 191-241 of SEQ ID NO: 4.
- 30. (New) An isolated or recombinant polynucleotide encoding a polypeptide that:
 - a) has a conservative amino acid substitution of a mature polypeptide of SEQ ID
 NO: 2 or 4;
 - b) is a natural allelic variant of the mature native polypeptide of SEQ ID NO: 2 or 4; or
 - c) is a species variant of the mature native polypeptide of SEQ ID NO: 2 or 4.
- 31. (New) The polynucleotide of Claim 30, which is from SEQ ID NO: 4.
- 32. (New) The polynucleotide of Claim 30, comprising:
 - a) nucleotides 124 to 751 of SEQ ID NO: 1; or
 - b) nucleotides 54 to 723 of SEQ ID NO: 3.
- 33. (New) A method of producing a polynucleotide duplex comprising contacting said polynucleotide of Claim 30 with a second polynucleotide for a time sufficient to produce said duplex under stringent wash conditions of at least 60° C and less than 200 mM salt; thereby forming said duplex.

 What is a recombinant vector?

34. (New) A recombinant expression or replicating vector comprising said polynucleotide of Claim 30.

recombinent expression or replicating
35. (New) A cell comprising said vector of Claim 34.

- 36. (New) A method of producing an antigenic polypeptide, comprising expressing said vector of Claim 34, thereby producing said polypeptide.
- 37. (New) A recombinant or isolated polynucleotide that selectively hybridizes to the open reading frame of SEQ ID NO: 1 or 3 under stringent hybridization and wash conditions of at least 50°C, a salt concentration of less than 200 mM, and 50% formamide.

- 38. (New) The polynucleotide of Claim 37:
 - a) wherein said wash conditions are at least 60°C;
 - b) that encodes an antigenic polypeptide;
 - c) comprises at least 36 contiguous nucleotides of the mature coding portion of SEQ ID NO: 1 or 3; or
 - d) comprises at least 20 contiguous amino acids of the mature coding of SEQ ID NO: 4
- 39. (New) The polynucleotide of Claim 37, further encoding:
 - a) a two-fold or less conservative amino acid substitution of a mature polypeptide of SEQ ID NO: 2 or 4;
 - b) a natural allelic variant of the native polypeptide of SEQ ID NO: 2 or 4; or
 - c) a species variant of the native polypeptide of SEQ ID NO: 2 or 4.
- 40. (New) A recombinant expression or replicating vector comprising:
 - a) said polynucleotide of Claim 37; or
 - b) the mature polypeptide of SEQ ID NO: 4.
- 41. (New) A cell comprising said yector of Claim 40.
- 42. (New) A method of producing an antigenic polypeptide, comprising expressing said vector of Claim 41, thereby producing said polypeptide.
- 43. (New) A method of producing a polynucleotide duplex comprising contacting said polynucleotide of Claim 37 with a second polynucleotide for a time sufficient to produce said duplex under stringent wash conditions of at least 60° C and less than 200 mM salt; thereby forming said duplex.—

Remarks

Applicants respectfully request examination and consideration of the new and amended claims and reconsideration of the application in view of the following remarks.

Table of Contents

- I. Status of the Application
- II. The Invention
- III. Amendments
- IV. The Non-Art Rejections and Objections
- V. The Art Rejections
- VI. Summary